

ARTWORK SPECIFICATION - Artcode: 1217964C3				
ICC: 403326, 403327, 403328, 401500, 401501		LRF#: LR-000269		
Artwork Availability: Immediate		Component Type: Insert		
LDIM Number: NA – Approved on art.		EXISTING ARTCODE BEING REVISED: 1217964C2		
Description: INSERT GRANUFLEX SIGNAL CEU				
ID #	Requirement	Specification		Approval
A1	SAP FIN PK CODE (if applicable)	1227033, 1227034, 1227035, 1227036, 1227037		PLANT GPD
A2	Bucket	CEU		Existing Art
A3	Market(s)	CEU		Existing Art
A4	Label Size Code / Dieline	9804		ENG
A5	Color(s)	Black		GPD
A6	Style	40 lb.		GPD
A7	Bar Code: See artwork for positioning, magnification and truncation. Scanability verified to ANSI grade "C" or better.			
A8	Bar Code: UPC(A)	NA		GPD ENG
A9	Bar Code: PZN – Code 39	NA		GPD ENG MKT
A10	Bar Code: JAN-13	NA		GPD ENG MKT
A11	Specification Reference(s)	MT56-005		GPD ENG
A12	History:	<p>Indicate Component LDIM Ver. & Change:</p> <p>1. Revise current labeling artwork for DuoDERM/Varihesive/Granuflex inserts for European markets according to the new WT CEE bucket.:</p> <ul style="list-style-type: none"> - Add local contact information (to allow for removal of the current supplemental Global Contact insert). - Add Date of Issuance to comply with MDD directive. - Add Russian language text. - Size code changed from 9774 to 9804. - C2 voided and C3 created to fix art code on the art. 	<p>Name:</p> <p>1. Peter Sauer</p>	<p>Date:</p> <p>1. 1/7/10</p>

Document ID : 1217964C3

Signed by:	Date: (mm/dd/yyyy hh:mm:ss AM/PM)	Justification:
------------	---	----------------

Amber Joseph	3/18/2010 09:44:48 AM	Final Quality Approval
Kenneth W Curran	3/12/2010 11:00:24 AM	proof approval
Peter Sauer	2/16/2010 03:58:08 PM	Final Quality Approval